CLAIM LISTING

1. (Currently Amended) A compound comprising of the formula Formula (I):

$$\begin{array}{c|c}
G^1 & O & N \\
\hline
O & O & G^2
\end{array}$$

wherein:

G1 is-selected from the group consisting of a, b1-and b3-a group of formula a

A is selected from the group phenyl, pyridinyl, pyrimidinyl, pyridazinyl, pyrazinyl, and thienyl, all optionally substituted with lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO₂R', -NSO₂R', -SO₂NR'R", -NR'R", or -COR'; R' and R" are each independently hydrogen or lower alkyl;

 G^2 is selected from the group represented by the Formula $\underline{c}, \underline{d}, \underline{e},$ and \underline{f}

USSN 10/087,034

COOH
$$()_{n} \stackrel{\text{COOH}}{\longrightarrow} ()_{n} \stackrel{\text{COOH}}{\longrightarrow} ()_{n} \stackrel{\text{N}}{\longrightarrow} ()_{n} \stackrel{\text{N}}{\longrightarrow}$$

R¹ and R² are independently in each occurrence selected from the group consisting of hydrogen, lower alkyl, halogen, haloalkyl, nitro, -NR'R", -OR', -NR'SO₂R", -SO₂R', -COR', cyano, nitro, phenyl (optionally substituted with halo, alkyl, cyano, nitro, or alkoxy), or heteroaryl (optionally substituted with halo, alkyl, cyano, nitro or alkoxy), said heteroaryl having one to three rings, of four to eight atoms per ring, incorporating within each ring one or two heteroatoms chosen from nitrogen, oxygen or sulfur; and wherein R' and R" are as defined hereinbefore;

R¹ and R², if adjacent, taken together with the carbons to which they are attached may also form an aromatic ring, optionally substituted with one or two substitutents selected from the group consisting of lower alkyl, halo, cyano, or lower alkoxy;

n is an integer selected from 0, 1, 2 and 3;

or individual isomers, rucemic or non-racemic mixtures of isomers, produugs, or pharmaceutically acceptable salts or solvates thereof.

- 2. (Original) The compound of Claim 1, wherein G^2 is selected from the group represented by the Formula \underline{c} and \underline{d} .
- 3. (Original) The compound of Claim 1, wherein G^2 is selected from the group represented by the Formula \underline{e} and \underline{f} .
- 4. (Canceled)

- 5. (Canceled)
- 6. (Currently amended) The compound of Claim 5 2, wherein A is phenyl optionally substituted with lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO₂R', -NR'SO₂R", -SO₂NR'R",-COR', and -NR'R", and R' and R" are each independently hydrogen or lower alkyl.
- 7. (Original) The compound of Claim 6, wherein G^2 is a group represented by the Formula \underline{c} .
- 8. (Original) The compound of Claim 7, wherein R¹ is hydrogen, lower alkyl, halo, alkoxy, cyano, SO2R', or COR', and NR'R", and R' and R" are each independently hydrogen or lower alkyl.
- 9. (Original) The compound of Claim 7, wherein R¹ is phenyl, which is optionally substituted with halogen, lower alkyl, cyano, nitro or alkoxy.
- 10. (Original) The compound of Claim 7, wherein R¹ is pyridinyl, which is optionally substituted with halogen, lower alkyl, cyano, nitro or alkoxy.
- 11. (Original) The compound of Claim 7, wherein R¹ is thicnyl, which is optionally substituted with halogen, lower alkyl, cyano, nitro or alkoxy.
- 12. (Original) The compound of Claim 7, wherein R¹ and R², if adjacent, taken together with the carbons to which they are attached form an optionally substituted aromatic ring, which is optionally substituted with halogen, lower alkyl, cyano, nitro or alkoxy.
- 13. (Withdrawn) The compound of claim 5, wherein G^2 is a group represented by the Formula c and Λ is pyridinyl.

- 14. (Withdrawn) The compound of claim 13, wherein R¹ is selected from the group consisting of hydrogen, lower alkyl, halogen, cyano, nitro, -OR', -SO₂R', -NR'SO₂R', -COR', and -NR'R'', and R' and R'' are each independently hydrogen or lower alkyl.
- 15. (Withdrawn) The compound of claim 13, wherein R¹ is phenyl optionally substituted with lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO₂R', -NR'SO₂R'', -SO₂NR'R'', -NR'R'', or -COR', and R' and R'' are each independently hydrogen or lower alkyl.
- 16. (Withdrawn) The compound of claim 5, wherein G² is a group represented by the Formula c and A is pyridiminyl, which is optionally substituted with halogen, alkyl, cyano, nitro, or alkoxy.
- 17. (Withdrawn) The compound of claim 16, wherein R.sup.1 is selected from the group consisting of hydrogen, lower alkyl, halogen, cyano, nitro, -OR', -SO₂R', -NR'SO₂R", -COR', and -NR'R", and R' are each independently hydrogen or lower alkyl.
- 18. (Currently Amended) The compound of claim 4 1, wherein G2 is a group represented by the formula e.
- 19. (Original) The compound of claim 18, wherein A is phenyl optionally substituted with lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO₂R', -NR'SO₂R", -SO₂NR'R", -NR'R", or -COR', R¹ is selected from the group consisting of hydrogen, lower alkyl, halogen, cyano, nitro, -OR', -SO₂R', -NR'SO₂R", -COR', and -NR'R", and R' and R" are each independently hydrogen or lower alkyl.
- 20. (Original) The compound of claim 18, wherein A is phonyl optionally substituted lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO₂R', -NR'SO₂R'',

- -SO₂NR'R", -NR'R", or -COR'; R' and R" are each independently hydrogen or lower alkyl; and R¹ is phenyl optionally substituted with halogen, alkyl, cyano, nitro, or alkoxy.
- 21. (Withrawn) The compound of claim 1, wherein G¹ is a group represented by the Formula b¹.
- 22. (Withrawn) The compound of claim 21, wherein G² is a group represented by the Formula c.
- 23. (Withrawn) The compound of claim 22, wherein A is phenyl optionally substituted with lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO²R', -NR'SO²R", -SO²NR'R", -NR'R", or -COR'; and R' and R" are each independently hydrogen or lower alkyl.
- 24. (Withrawn) The compound of claim 23, wherein R.sup.1 is selected from the group consisting of hydrogen, lower alkyl, halogen, cyano, nitro, -OR', -SO²R', -NR'SO²R", -COR', and -NR'R", and R' and R" are each independently hydrogen or lower alkyl.
- 25. (Withrawn) The compound of claim 1, wherein G¹ is selected from the group represented by Formula b².
- 26. (Withrawn) The compound of claim 25, wherein G² is selected from the group represented by the Formula c.
- 27. (Withrawn) The compound of claim 26, wherein A is phenyl optionally substituted with lower alkyl, halogen, haloalkyl, alkoxy, cyano, nitro, -SO²R', -NR'SO²R", -SO²NR'R", -NR'R", or -COR'; and R' are each independently hydrogen or lower alkyl.

- 28. (Withrawn) The compound of claim 27, wherein R.sup.1 is selected from the group consisting of hydrogen, lower alkyl, halogen, cyano, nitro, -OR', -SO₂R', -NR'SO₂R'', -COR', and -NR'R'', and R' and R'' are each independently hydrogen or lower alkyl.
- 29. (Currently Amended) The compound of claim 1, wherein the compound is selected from the group consisting of:
 - 4-(5-phenyl-benzofuran-2-ylmethoxycarbonylamino)-bip- henyl-3-carboxylic acid;
 - 4'-fluoro-4-(5-phenyl-benzofuran-2-ylmethoxycarbo- nylamino)-biphenyl-3-carboxylic acid;
 - 4'-fluoro-4-[5-(4-fluoro-phenyl)-benzofuran-2-ylmethoxycarbonylamino]-biphenyl-3-carboxylic acid;
 - 2-(5-phenyl-benzofuran-2-ylmcthoxycarbonylamino)-naphthalene-1-carboxylic acid;
 - 2-[5-(4-fluoro-phenyl)-benzofuran-2-ylmethoxycarbonylamino]-5-isopropoxy-benzoic acid;
 - 2-[5-(4-fluoro-phenyl)-benzofuran-2-ylmethoxycarbonyla- mino]-6-methyl-benzoic acid;
 - 2-[5-(4-fluoro-phenyl)-benzofuran-2-ylmethoxy- carbonylamino]-5-pyridin-3-yl-benzoic acid;
 - 5-methanesulfonyl-2-(5-phenyl-benzofuran-2-ylmcthoxycarbonylamino)benzoic acid;
 - 4-[5-(4-fluoro-phenyl)-- benzofuran-2-ylmethoxycarbonylamino]-biphenyl-3-carboxylic acid;
 - 2-(5-phenyl-benzofuran-2-ylmethoxycarbonylamino)-5-thiophen-3-ylbenzoic acid;
 - 5-bromo-2-(5-phenyl-benzofuran-2-ylmethoxycarbonylamino)-benzoic acid;
 - [3-(1H-tetrazol-5-yl)-biphenyl-4-yl]-carbamic acid 5-phenyl-benzofuran-2-ylmethyl ester;

- [2-(111-tetrazol-5-yl)-phenyl]-carbamic acid 5-phenyl-benzofuran-2-ylmethyl ester;

 2-chloro-6-[5-(4-fluoro-phe-nyl)-benzofuran-2-ylmethoxycarbonylamino]-benzoic acid;

 2-[5-(4-fluoro-phenyl)-benzofuran-2-ylmethoxycarbonylamino]-naphthalene-1--carboxylic acid;

 2-[5-(4-fluoro-phenyl)-benzofuran-2-ylmethoxycarbonylami-no]-5-methanesulfonylamino-benzoic acid; and

 [2-(5-phenyl-benzofuran-2-ylmetho-xycarbonylamino)-phenyl]-acetic acid.;

 2-[2-(biphenyl-4-yloxy)-ethoxycarbon-ylamino]-6-chloro-benzoic acid; and

 2-chloro-6-(5-pyrimidin-5-yl-benzofura-n-2-ylmethoxycarbonylamino)-benzoic acid.
- 30. (Original) A pharmaccutical composition comprising a therapeutically effective amount of a compound of Claim 1 in admixture with at last one pharmaccutically acceptable carrier.
- 31. (Currently amended) A method of treating a subject with a disease state that is alleviated with an IP antagonist, said disease state selected from asthma and disorders of the urinary tract, said method comprising administering to a subject in need thereof, with an effective amount of one of more compounds of Claim 1.
- 32. (Canceled)
- 33. (Currently amended) The method of treatment of claim 32 31, wherein the disease state comprises bladder disorders associated with bladder outlet obstruction and urinary incontinence conditions.
- 34. (Canceled)

USSN 10/087,034

- 35. (Canceled)
- 36. (Currently Amended) The method of treatment of claim 32 31, wherein the disease state comprises respiratory-states form allergies and asthma.
- 37. (Currently Amended) A process for preparing a compound as claimed in Claim 1, which process comprises:

esterification of the compounds having a general Formula 2 or 3:

COOH
$$\begin{array}{ccc}
()_n & & & \\
()_n & & \\
()_n & & \\
()_n & & \\
R^1 & & \\
R^2 & & \\
\underline{2} & & \underline{3}
\end{array}$$

wherein R^1 and R^2 are as defined in Claim 1, acylation with phosgene, followed by reaction with a compound of general Formula $\underline{2}$

wherein G1 is as defined in Claim 1,

and hydrolysis, to provide a compound of the general Formula 1a or 1b

wherein n, G¹, R¹, and R² are as defined in Claim 1.

38. A process for preparing a compound as claimed in Claim 1, which process comprises:

acylation with phosgene of a compound of general Formula cm or co,

$$H_2N$$
 CM
 R^2
 R^1
 CM
 R^2
 R^1
 CM
 R^2
 R^1
 CM
 R^2
 R^2
 R^1

followed by reaction with a compound of general Formula 2

wherein G1 is as defined herein,

and treatment with azide to provide a compound of general Formula le

$$G^{1} \longrightarrow \mathbb{R}^{2} \longrightarrow \mathbb{R}^{1} \longrightarrow \mathbb{R}^{2} \longrightarrow \mathbb$$

wherein n, G^1 , R^1 , and R^2 are as defined herein.